

## **MATERIAL SAFETY DATA SHEET**

**Product Name:** Polystyrene Lids

## **SECTION I - PRODUCT IDENTIFICATION**

Synonym: N/A

Manufacturer's Name: Anchor Packaging

**Address:** 13515 Barrett Parkway Drive

Ballwin, MO 63021

Formula: Trade Secret

Division: Polystyrene

Date of Preparation: August 19, 2008

Revised: February 14, 2019

Reviewed: June 13, 2023

### **SECTION II - HAZARDOUS INGREDIENTS**

Ingredient Name	CAS No.	% Wt	Exposure Limits
Styrene polymer	9003-55-8	96	N (Hazardous)
White mineral oil	8042-47-5	3	5 MG/CU. M (OSHA PEL TWA)
			5 MG/CU. M (ACGIH TLV TWA)

#### SECTION III – PHYSICAL/CHEMICAL PROPERTIES

Color: Clear Specific Gravity: 1.03 pH: 7 SU

**Boiling Point:** Not Available

Freezing Point: 210 F @ 760 MM HG

### SECTION IV - FIRE AND EXPLOSION DATA

Flash Point: > 550 F Autoignition: Not Available

Extinguishing Media: Use water fog, foam, dry chemical, halon or CO2

Fire Fighting Procedures: Water or foam may cause frothing. Use water to keep fire

exposed containers cool. Water spray may be used to flush spills away from exposure. For fires in enclosed areas, firefighters must use self-contained breathing apparatus. Prevent run-off from fire control or dilution from entering

streams, sewers, or drinking water supply.

Unusual Hazards: This material burns vigorously and releases a dense, black,

toxic smoke. Fires are difficult to control. Exposure to fire can generate highly toxic fumes. High dust levels may create

a potential for explosion.

#### **SECTION V - HEALTH EFFECTS**

**Eyes:** Immediately rinse eyes with running water for 15

minutes. If irritation develops, seek medical attention.

**Skin:** If burned by contact with hot material, cool molten material

adhering to skin as quickly as possible with water and get medical assistance for removal of adhering of material and

treatment of burns.

**Ingestion:** If swallowed, dilute with water and immediately induce vomiting.

Never give fluids or induce vomiting if the victim is unconscious

or having convulsions.

**Inhalation:** Move to fresh air. Aid in breathing, if necessary, and get

immediate medical attention.

**Special Precautions:** None known

### **SECTION VI - REACTIVITY DATA**

Stability Data: Stable

Incompatibility: Strong oxidizers, and aromatic and chlorinated hydrocarbons.

Conditions/Hazards to Avoid: Excessive temperatures

Hazardous Decomposition/Polymerization:

Hazardous Decomposition Products: Carbon monoxide, possibly hydrocarbon

fragments, monomers, acrolein, acids, ketones and

aldehydes.

Polymerization: Does not occur

Corrosive Properties: Not available

Oxidizer Properties: Not available

# <u>SECTION VII - SPILL OR LEAK PROCEDURES</u>

General: Spills should be contained, solidified, and placed in suitable

containers for disposal in a licensed facility. Wear

appropriate respiratory protection and protective clothing

and provide adequate ventilation during clean-up.

Waste Disposal: Incinerate in a licensed facility. Do not discharge into

waterways or sewer systems.

Container Disposal: Dispose of in a licensed facility. Recommend crushing or

other means to prevent unauthorized reuse.

## SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

**Ventilation Requirements:** Local exhaust should be used to control the emission of air

contaminants.

**Personal Protective Equipment:** 

**Eye/Face:** Wear chemical safety goggles/glasses to prevent eye contact.

**Respiratory:** If dusts are generated, wear an approved dust respirator.

**Other Protective** 

**Clothing/Equipment:** Gloves, coveralls, apron and boots as necessary to prevent

contact.

### **SECTION IX - STORAGE AND HANDLING**

**General:** Store in a cool area.

#### SECTION X – DISCLAIMER OF LIABILITY

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this material. Information contained herein is believed to be true and accurate, but all our suggestions are made without warranty, express or implied, regarding accuracy of the information, the hazards connected with the used of the material or the results to be obtained from the use thereof. Compliance with all applicable Federal, State, and Local laws and regulations remains the responsibility of the user.